ELSEVIER

Volume 363, 1 March 2000

thin solid films

Contents

Conformational analysis on biphenyls with theoretical calculations: modeling torsions in poly(*para*-phenylene)s with side chains
J.-F. Pan, S.-J. Chua, W. Huang 1

Life extension of organic LED's by doping of a hole transport layer
Z.D. Popovic, S. Xie, N. Hu, A. Hor, D. Fork, G. Anderson, C. Tripp 6

An electroluminescent diode using liquid-crystalline conducting polymer
M. Onoda, K. Tada, M. Ozaki, K. Yoshino 9

Effect of UV treatment on anode surface in organic EL displays
M. Utsumi, N. Matsukaze, A. Kumagai, Y. Shiraishi, Y. Kawamura, N. Furusho 13

Dependence of electroluminescent properties on cathode metalsin PVCz double-layered organic EL devices
S. Kawakami, M. Kitagawa, H. Kusano, D. Morita, Y. Horii, Y. Hirooka, K. Hatano, T. Sawada, T. Tsushima, H. Kobayashi 17

Processes for high efficiency of organic EL devices with dopants
M. Yamaguchi, T. Nagatomo 21

Improvement of organic light-emitting diodes performance by the insertion of a Si_3N_4 layer
H. Jiang, Y. Zhou, B.S. Ooi, Y. Chen, T. Wee, Y.L. Lam, J. Huang, S. Liu 25

Red electroluminescence and photoluminescence properties of a reduced porphyrin compound, tetraphenylchlorin
Y. Sakakibara, S. Okutsu, T. Enokida, T. Tani 29

EL properties of organic light-emitting-diode using TPD derivatives with diphenylstylyl groups as hole transport layer
K. Yamashita, T. Mori, T. Mizutani, H. Miyazaki, T. Takeda 33

Examination of EL and PL properties of MCHM-PPV and MEH-PPV: a study towards introduction of a new series of thin film EL devices
D.J. Choo, A. Talaie, Y.K. Lee, J. Jang, S.H. Park, G. Huh, K.H. Yoo, J.Y. Lee 37

Interface formation between NPB and processed indium tin oxide
Q.-T. Le, E.W. Forsythe, F. Nüesch, L.J. Rothberg, L. Yan, Y. Gao 42

Efficient and stable organic light-emitting diodes with a sputter-deposited cathode
L.S. Hung 47

Design and characterization of high performance electroluminescence materials for light-emitting diodes
D. Zhu, Y. Liu, F. Bai 51

Light-emitting diodes based on fluorene polymers
M. Bernius, M. Inbasekaran, E. Woo, W. Wu, L. Wujkowski 55

Pulsed laser deposition of organic thin films
L.D. Wang, H.S. Kwok 58

Energy transfer and white emitting organic thin film electroluminescence
Z. Zhilin, J. Xueyin, X. Shaohong 61

Material and device related properties in the context of the possible making of electrically pumped polymer laser
N. Tessler, P.K.H. Ho, V. Cleave, D.J. Pinner, R.H. Friend, G. Yahioglu, P. Le Barny, J. Gray, M. de Souza, G. Rumbles 64

Carrier density and quantum efficiency measurements in conjugated polymers: ultrafast photoinduced IRAV absorption
D. Moses, A. Dogariu, A.J. Heeger 68

Intermolecular interactions in electroluminescent conjugated materials
J. Cornil, D. Beljonne, D.A. dos Santos, J.Ph. Calbert, J.L. Brédas 72

Molecular design of fluorene-based polymers and oligomers for organic light-emitting diodes
S.H. Lee, T. Tsutsui 76

Doped LED polymers containing novel luminescent bispyridyl compounds
C.-W. Ko, H.-C. Lin 81

Effect of end substitution on optical properties and molecular orientation of distyrylbenzene derivatives in thin film
J.P. Ni, Y. Ueda, Y. Ichino, K. Yase, D.K. Wang 86

Synthesis and electroluminescent properties of bis(3-*N*-ethylcarbazolyl)cyanoterephthalidene
J.-W. Park, J.-H. Lee, H.-S. Lee, D.-Y. Kang, T.-W. Kim 90

Photoluminescence and electroluminescence properties of a new PPV derivative containing oxadiazole segments
Z. Wang, X. Yang, X. Chen, Z. Xu, X. Xu 94

Fully soluble poly(*p*-phenylenevinylene)s via propagation control of the polymer chain conjugated lengths
Z.-K. Chen, J.-Q. Pan, Y. Xiao, N.H.S. Lee, S.-J. Chua, W. Huang 98

Synthesis and characterization of a novel light-emitting copolymer with improved charge-balancing property
Y. Xiao, W.-L. Yu, Z.-K. Chen, N.H.S. Lee, Y.-H. Lai, W. Huang 102

Synthesis and characterization of a novel poly(*p*-phenylenevinylene) derivative carrying an oxadiazole side chain with improved electron affinity
N. Hoi-Sim Lee, Z.-K. Chen, S.-J. Chua, Y.-H. Lai, W. Huang 106

Synthesis and characterization of a cyano-substituted electroluminescent polymer with well-defined conjugation length
M. Cheng, Y. Xiao, W.-L. Yu, Z.-K. Chen, Y.-H. Lai, W. Huang 110

Synthesis and characterization of a new yellow–green light-emitting polymer – poly{1,4-bis[3–(4′–butylphenyl)thienyl]-2,5-di(2′-ethylhexyloxy)phenylene}
A.-L. Ding, J. Pei, Z.-K. Chen, Y.-H. Lai, W. Huang 114

The photo- and electroluminescence of some novel light emitting copolymers
F. Bai, M. Zheng, G. Yu, D. Zhu 118

Design, synthesis and photophysical properties of a hyperbranched conjugated polymer
T. Lin, Q. He, F. Bai, L. Dai 122

Thermally stable light-emitting polymers of substituted polyacetylenes
G. Yu, Y. Liu, X. Zhan, H. Li, M. Yang, D. Zhu 126

Electroluminescent devices with LB films of amphiphilic 8-hydroxyquinoline complexes as emitter
J.-M. Ouyang, Z.-M. Zhang, X.-L. Zhang, Q.-J. Chao, C.-J. Ye, H.-W. Di 130

Langmuir–Blodgett films and electroluminescent devices of amphiphilic 8-hydroxyquinoline magnesium
J.-M. Ouyang, Z.-M. Zhang 134

Syntheses and optical characterization of poly[1,8–octanedioxy–1,4–phenylene–1,2–ethylene–1,4–phenylene] and its copolymer derivatives
I.H. Cho, E.J. Oh, J.-S. Suh, S.-J. Park, K.-W. Lee 138

Synthesis and light-emitting properties of C_{60}-containing poly(1-phenyl-1-butyne)s
H. Xu, Q. Sun, P. Pui-Sze Lee, H.S. Kwok, B.Z. Tang 143

Poly(alkylacetylenes): a new class of highly luminescent polyacetylenes
Y.M. Huang, J. Wing Yip Lam, K. Ka Leung Cheuk, W. Ge, B. Zhong Tang 146

Synthesis and light-emitting properties of poly(carbazolylacetylenes)
P. Pui-Sze Lee, Y. Geng, H.S. Kwok, B.Z. Tang 149

Organic electroluminescent devices based on polyurethane derivatives: effects of substituents on electroluminescent and photoluminescent properties
H. Lim, J.Y. Noh, G.H. Lee, S.E. Lee, H. Jeong, K. Lee, M. Cha, H. Suh, C.-S. Ha 152

Schiff base receptor for salicylaldehyde and barbituric acid
M. Park, Y. Kim 156

Synthesis and photoluminescence properties of blue light emitting polymers
S.-H. Jung, J.-H. Choi, S.-K. Kwon, W.-J. Cho, C.-S. Ha 160

Dynamic sensing using intelligent composite: an investigation to development of new pH sensors and electrochromic devices
A. Talaie, J.Y. Lee, Y.K. Lee, J. Jang, J.A. Romagnoli, T. Taguchi, E. Maeder 163

Novel binuclear europium β-diketone chelate used as red emitter in organic electroluminescent device
W. Zhu, Q. Jiang, Z. Lu, X. Wei, M. Xie, D. Zou, T. Tsutsui 167

Blue photo- and electroluminescence from a novel poly (phenelene vinylene) derivative containing oxadiazole segment in main and side chains
X. Chen, Z. Wang, Y. Hou, X. Yang, S. Yin, Z. Xu, X. Xu, S. Wang 170

Carrier transport and high-efficiency electroluminescence properties of copolymer thin films
B. Chen, Y. Liu, C.S. Lee, G. Yu, S.T. Lee, H. Li, W.A. Gambling, D. Zhu, H. Tian, W. Zhu 173

Electronic structure and energy level alignment of $Alq_3/Al_2O_3/Al$ and Alq_3/Al interfaces studied by ultraviolet photoemission spectroscopy
K.L. Wang, B. Lai, M. Lu, X. Zhou, L.S. Liao, X.M. Ding, X.Y. Hou, S.T. Lee. 178

Temporal behaviors of the amplified spontaneous emission and the lasing from a copolymer
S.M. Wang, X.Y. Liu, L.J. Wang, W.L. Li, S.T. Lee 182

Spectral broadening properties of amplified spontaneous emission from a copolymer
S.M. Wang, X.Y. Liu, W.L. Li, L.J. Wang, S.T. Lee 185

Field-induced charge generation in electroluminescent polymers
H. Jiang, X.H. Xu, X. Sun, H.Q. Lin 188

Optical excitations in PPV aggregates
S. Yokojima, X.J. Wang, G.H. Chen 191

Patterned emission from polymeric light-emitting device realized by photo-irradiation in air
K. Tada, M. Onoda 195

Photoluminescent properties of dye-doped poly(N-vinyleabzole) (PVK) in microcavity
D. Wu, L. Wang, Y. Liu, S. Wang, Y. Ning, C. Jin, J. Zhao, X. Liu, S. Wu, X. He, L. Wang, D. Ma, D. Wang, X. Jing, F. Wang 198

Stimulated emission in the film of polymer/dye blend
J. Zhao, X. Liu, L. Wang, S. Wang, Y. Liu, Y. Ning, D. Wu, S. Wu, C. Jin, L. Wang, X. Jing, F. Wang 201

Spontaneous emission properties of organic film in plane optical microcavity
X.Y. Liu, L.X. Wang, Y. Liu, S.L. E, J.M. Zhao, D.J. Wu, Y.Q. Ning, S.L. Wu, L.J. Wang, C.J. Liang, D.X. Zhao, Z.R. Hong, D. Zhao, C.Q. Jin, X.B. Jing, F.S. Wang, W.L. Li, S.T. Lee. 204

Enhanced electroluminescence of europium(III) complex by terbium(III) substitution in organic light emitting diodes
D. Zhao, Z. Hong, C. Liang, D. Zhao, X. Liu, W. Li, C.S. Lee, S.T. Lee 208

Blue polymer light emitting diode based on ladder poly(para-phenylene)
Y. Xiaohui, H. Yanbing, W. Zhenjia, C. Xiaohong, X. Zheng, X. Xurong. 211

Organic electroluminescent device based on balanced carriers injection and transportation
F. Wu, W. Tian, Z. Zhang, Y. Ma, G. Li, J. Shen, L. Zhang, B. Zhang, Y. Cao 214

The addition of viologen in luminescent polymers for polymer light-emitting diodes
C. Yang, G. He, R. Wang, Y. Li. 218

Microcavity device of PPV dimer based copolymer
S.-J. Park, I.H. Cho, K.-W. Lee 221

Thickness effects of conducting polymer as an ITO replacement on electroluminescent devices
K.Y. Lee, Y.K. Kim, O.K. Kwon, J.W. Lee, D.M. Shin, D.Y. Kim, B.C. Sohn, D.S. Choi 225

Electroluminescent device with biphenylpyrazine derivative Eu salt LB (Langmuir–Blodgett) film as a molecular-size emissive layer
M. Era, T. Tsutsui, K. Takehara, K. Isomura, H. Taniguchi 229

White-light-emitting organic electroluminescent devices using new chelate metal complexes
S. Woo Pyo, S. Phil Lee, H. Sung Lee, O. Kwau Kwon, H. Sue Hoe, S. Hee Lee, Y.-k. Ha, Y. Kwan Kim, J. Soo Kim. 232

Application of impedance technique to OELD
H.-W. Rhee, K. Sik Chin, S. Young Oh, J.-W. Choi. 236

Damage study of ITO under high electric field
J. He, M. Lu, X. Zhou, J.R. Cao, K.L. Wang, L.S. Liao, Z.B. Deng, X.M. Ding, X.Y. Hou 240

Thermal analysis of Tris (8-hydroxyquinoline) aluminum
M. Whan Shin, H. Chul Lee, K. Soo Kim, S.-H. Lee, J.-C. Kim 244

Electric field induced quenching of photoluminescence of poly(*N*-vinylarbaole) (PVK) doped with dyes
Y. Hou, X. Yang,, Y. Li, X. Xu 248

Hole-blocking characteristics of 2,4,6-triphenyl-1,3,5-triazine as a non-transporting filler material
D. Myung Shin, S. Noh, B. Choung Shon, J. Hyun Kim, C. Kim, B. Nam Kim 252

Blue electroluminescence in blend of polymers containing carbazole and 1,3,4-oxadiazole units
S.-H. Jin, W.-H. Kim, I.-S. Song, S.-K. Kwon, K.-S. Lee, E.-M. Han 255

Characteristics of organic electroluminescent devices using polypyrrole conducting layer and undoped conjugated polymer layer
J.-W. Park, J.-H. Lee, J.-Y. Lee, S.-I. Kho, T.-W. Kim 259

Hole-transporting polyimide for organic electroluminescent display
Y. Kim, J.-G. Lee, K. Han, H.-K. Hwang, D.-K. Choi, Y.-Y. Jung, J.-H. Keum, S. Kim, S.-S. Park, W.-B. Im 263

Influence of oligothiophene layer on the light emitting efficiency
D.-M. Shin, S.-T. Lim, J.S. Choi, J.S. Kim 268

Degradation effect of polymer hole transport layer on organic electroluminescence device performance
J.-W. Choi, J. Sung Kim, S. Yong Oh, H.-W. Rhee, W. Hong Lee, S. Baek Lee 271

Fluorescence lifetime and energy transfer of rare earth β-diketone complexes in organized molecular films
R.-J. Zhang, K.-Z. Yang, A.-C. Yu, X.-S. Zhao 275

Short-term degradation behaviors of light emitting diodes made of polyurethane derivative with large permanent dipoles on the side chain
H. Jeong, D. Zou, T. Tsutsui, C.-S. Ha 279

The effect of transition metals coated by the laser ablation technique on the photoluminescence of MEH-PPV(poly(2-methoxy,5-(2′-ethyl-hexyloxy)-*p*-phenylenevinylene))
A. Talaie, Y.K. Lee, J. Jang, D.J. Choo, S.M. Park, S.H. Park, G. Huh, I.H. Lee, J.Y. Lee 282

Self organised polymer photodiodes for extended spectral coverage
L. Chun Chen, O. Inganäs, L. Stolz Roman, M. Johansson, M. Andersson 286

Influence of hole transporting material on device performance in organic light-emitting diode
S. Tokito, K. Noda, K. Shimada, S.-i. Inoue, M. Kimura, Y. Sawaki, Y. Taga 290

Organic white light electroluminescent devices
S. Liu, J. Huang, Z. Xie, Y. Wang, B. Chen 294

Organic light emitting diodes based on end-substituted oligo(phenylenevinylene)s
Y. Tao, A. Donat-Bouillud, M. D'Iorio, J. Lam, T.C. Gorjanc, C. Py, M.S. Wong, Z.H. Li 298

Contact resistance in interface of metal - light emitting organic thin films
M. Whan Shin, H. Chul Lee, J.-G. Lee, Y. Kim, Y.-Y. Jung, S. Kim 302

Blue electroluminescence and dynamics of charge carrier recombination in a vacuum-deposited poly(p-phenylene) thin film
C.H. Lee, G.W. Kang, J.W. Jeon, W.J. Song, C. Seoul 306

Modelling of interference effects in anisotropic conjugated polymer devices
W.M.V. Wan, R.H. Friend, N.C. Greenham 310

Optimized indium tin oxide contact for organic light emitting diode applications
F. Zhu, K. Zhang, E. Guenther, C.S. Jin 314

X-ray excited optical luminescence (XEOL): a potential tool for OELD studies
T.K. Sham, R. Sammynaiken, Y.J. Zhu, P. Zhang, I. Coulthard, S.J. Naftel 318

Polymer interfaces studied by photoelectron spectroscopy: Li on polydioctylfluorene and Alq_3
G. Greczynski, M. Fahlman, W.R. Salaneck, N. Johansson, D.A. dos Santos, J.L. Brédas 322

Recent developments in the synthesis of red dopants for Alq_3 hosted electroluminescence
C.H. Chen, C.W. Tang, J. Shi, K.P. Klubek 327

Poly[9-methyl-9-(4-cyanobutyl)fluorene] Synthesis towards Water-soluble Polyfluorenes
B. Liu, Z.-K. Chen, W.-L. Yu, Y.-H. Lai, W. Huang 332

Author Index of Volume 363 336

Subject Index of Volume 363 338

For more information on *Thin Solid Films*, please visit our website at:
http://www.elsevier.nl/locate/tsf

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the Publisher upon request.